



Approval body for construction products and types of construction

#### **Bautechnisches Prüfamt**

An institution established by the Federal and Laender Governments



ETA-15/0476

of 4 May 2021

## European Technical Assessment

English translation prepared by DIBt - Original version in German language

#### **General Part**

Technical Assessment Body issuing the Deutsches Institut für Bautechnik **European Technical Assessment:** TUF-S Trade name of the construction product Product family Fastener for the rear fixing of facade panels made of to which the construction product belongs high-pressure decorative laminates (HPL) according to EN 438-7:2005 Manufacturer SFS intec AG Rosenbergsaustraße 10 9435 HEERBRUGG **SCHWEIZ** Plants of SFS intec AG Manufacturing plant This European Technical Assessment 17 pages including 4 annexes which form an integral part contains of this assessment EAD 330030-00-0601, Edition 10/2018 This European Technical Assessment is issued in accordance with Regulation (EU) No 305/2011, on the basis of This version replaces ETA-15/0476 issued on 12 July 2017

Deutsches Institut für Bautechnik Kolonnenstraße 30 B | 10829 Berlin | GERMANY | Phone: +49 30 78730-0 | Fax: +49 30 78730-320 | Email: dibt@dibt.de | www.dibt.de



European Technical Assessment ETA-15/0476 English translation prepared by DIBt

Page 2 of 17 | 4 May 2021

The European Technical Assessment is issued by the Technical Assessment Body in its official language. Translations of this European Technical Assessment in other languages shall fully correspond to the original issued document and shall be identified as such.

Communication of this European Technical Assessment, including transmission by electronic means, shall be in full. However, partial reproduction may only be made with the written consent of the issuing Technical Assessment Body. Any partial reproduction shall be identified as such.

This European Technical Assessment may be withdrawn by the issuing Technical Assessment Body, in particular pursuant to information by the Commission in accordance with Article 25(3) of Regulation (EU) No 305/2011.



Page 3 of 17 | 4 May 2021

European Technical Assessment ETA-15/0476 English translation prepared by DIBt

#### Specific Part

#### 1 Technical description of the product

The TUF-S-6xL is special anchor made of stainless steel for fixing HPL-facade panels according to EN 438-7:2005 to metal substructures. The anchor consist of a mandrel made of carbon steel zinced and a stainless steel sleeve. The anchor is put in a drill hole and placed by pulling out the mandrel. The pull out of the mandrel widens the body of the sleeve and punches the thread of the sleeve into the façade panel.

The product description is given in Annex A. The material values, dimensions and tolerances of the components of the fastener not indicated in the annexes shall correspond to the values laid down in the technical documentation<sup>1</sup>.

# 2 Specification of the intended use in accordance with the applicable European Assessment Document

The performances given in Section 3 are only valid if the fastener is used in compliance with the specifications and conditions given in Annex B.

The verifications and assessment methods on which this European Technical Assessment is based lead to the assumption of a working life of the fasteners of at least 50 years. The indications given on the working life cannot be interpreted as a guarantee given by the producer, but are to be regarded only as a means for choosing the right products in relation to the expected economically reasonable working life of the works.

#### 3 Performance of the product and references to the methods used for its assessment

#### 3.1 Mechanical resistance and stability (BWR 1)

Essential characteristic	Performance
Characteristic resistance to breakout or pull-out failure under tension load	See Annex C 1 and C 2
Characteristic resistance to breakout or pull-out failure under shear load	See Annex C 1 and C 2
Characteristic resistance to breakout or pull-out failure under combined tension and shear load	See Annex C 1 and C 2
Edge distance and spacing	See Annex C 1 and C 2
Durability	Corrosion Resistance Class (CRC) III in accordance with EN 1993-1-4:2015
Characteristic resistance to steel failure under tension and shear loads	See Annex C 2

#### 3.2 Safety in case of fire (BWR 2)

Essential characteristic	Performance
Reaction to fire	Class A1

1

The technical documentation comprises all information of the holder of this ETA necessary for the production, installation and maintenance of the fastener; these are in particular design drawings. The part to be treated confidentially is deposited with Deutsches Institut für Bautechnik and, as far as this is relevant to the tasks of the approved bodies involved in the procedure of attestation of conformity, shall be handed over to the approved body.



# European Technical Assessment ETA-15/0476

#### Page 4 of 17 | 4 May 2021

English translation prepared by DIBt

# 4 Assessment and verification of constancy of performance (AVCP) system applied, with reference to its legal base

In accordance with EAD No. 330030-00-0601 the applicable European legal act is: [97/161/EG]. The system to be applied is: 2+

# 5 Technical details necessary for the implementation of the AVCP system, as provided for in the applicable European Assessment Document


Technical details necessary for the implementation of the AVCP system are laid down in the control plan deposited with Deutsches Institut für Bautechnik.

Issued in Berlin on 4 May 2021 by Deutsches Institut für Bautechnik

Dipl.-Ing. Beatrix Wittstock Head of Section *beglaubigt:* Aksünger


### Page 5 of European Technical Assessment ETA-15/0476 of 4 May 2021





### Page 6 of European Technical Assessment ETA-15/0476 of 4 May 2021





English translation prepared by DIBt



## Specifications of intended use

#### Anchorages subject to

• Static and quasi-static loads

#### **Base material**

- The HPL façade panels shall be classified "EDS" or "EDF" according to EN 438-6:2014
- The minimum requirements for the façade panels are documented in the following table

#### Table 2: Minimum requirements for the façade panel

٩	Thickness of the panel	h≥	[mm]	8
for th	Dending stress 1)	$\sigma_{fm,T}^{(2)}$	NI/mama2	≥ 100
values panel	Bending stress <sup>1)</sup>	$\sigma_{fm,L}^{(2)}$	N/mm <sup>2</sup>	≥ 130
teristic va	Dending modulus	$E_{T}^{3)}$	NI/mm2	10000
acteris fac	Bending modulus	$E_{L}^{(3)}$	N/mm <sup>2</sup>	14000
Characteristic values for the facade panel	Maximum mass increase according to EN 438-2:2016-06, section 15 (Resistance to wet conditions)	δ <sub>w</sub>	[%]	2,00

1)  $\sigma_{fm}$  according to EN ISO 178:2013-09

2)  $\sigma_{fm,T}$ : Bending strength transverse

 $\sigma_{fm,L}$ : Bending strength longitudinal

3)  $\vec{E}_T$ : Bending modulus transverse

*E<sub>L</sub>* : Bending modulus longitudinal

### Use conditions (Environmental conditions):

• According to EN 1993-1-4:2015 according to the Corrosion Resistance Class (CRC) of the fastener III

#### Design:

• The design of the façade panels and their fixing is carried out according to the conditions given in Annex D 1 and D 2.

TUF-S

Intended use Specifications Annex B 1

# Page 8 of European Technical Assessment ETA-15/0476 of 4 May 2021

English translation prepared by DIBt



### Installation


- Each façade panel shall be fixed technically strain-free with at least four anchors in a rectangular arrangement.
- The substructure is constructed such that the façade panels are fixed technically strain free via skids (loose bearings) and one fixed point (fixed bearing).
- The thickness of the fixing member (clamp or panel load-bearing profile) shall be at least 2,0 mm and shall be at least made of aluminum with R<sub>m</sub> ≥ 215 N/mm<sup>2</sup>.
- The drillings are done at the factory or on site. The drillings are executed with special drill bits made available by SFS intec AG. The drillings are executed by skilled personnel.
- The façade panel is pre-drilled with diameter Ø 5,9 mm to 6,0 mm.
- The drilling is always in a 90°- angle to the panel's surface.
- The minimum edge distance of the drilling is 40,0 mm.
- The clamps are predrilled with diameter  $\emptyset$  6,5 mm to 7,0 mm.
- The geometry of the drill hole shall be checked minimum on 1% of all drillings.
- The façade panels, their fixings as well as the substructure including its connection to wall brackets and their connection to the construction works are designed for the respective case of application under the responsibility of an engineer skilled in the field of façade construction.
- The panels are installed by skilled specialists and the laying instructions of the manufacturer shall be paid attention to.
- Overhead mounting is for façade panels of Trespa International B.V and Fundermax GmbH allowed.

TUF-S

Intended use Requirements to the HPL-facade panels Annex B 2


# Page 9 of European Technical Assessment ETA-15/0476 of 4 May 2021





# Page 10 of European Technical Assessment ETA-15/0476 of 4 May 2021






# Page 11 of European Technical Assessment ETA-15/0476 of 4 May 2021

English translation prepared by DIBt






Definition of edge distance and spacing

# Page 12 of European Technical Assessment ETA-15/0476 of 4 May 2021

English translation prepared by DIBt





Panel nominal thickness	Bracket thickness	anchorage depth	TUF-S
8,0 mm	2,0 mm	5,0 mm	TUF-S-6x7-A4
		5,5 mm	TUF-S-6x7.5-A4
		6,0 mm	TUF-S-6x8-A4
	2,5 mm	5,0 mm	TUF-S-6x7.5-A4
		5,5 mm	TUF-S-6x8-A4
		6,0 mm	TUF-S-6x8.5-A4
	3,0 mm	5,0 mm	TUF-S-6x8-A4
		5,5 mm	TUF-S-6x8.5-A4
	3,5 mm	5,0 mm	TUF-S-6x8.5-A4
		5,5 mm	TUF-S-6x9-A4
	5,0 mm	5,0 mm	TUF-S-6x10-A4
		6,0 mm	TUF-S-6x11-A4
10,0 mm	3,0 mm	6,0 mm	TUF-S-6x9-A4
		7,0 mm	TUF-S-6x10-A4
		8,0 mm	TUF-S-6x11-A4
	3,5 mm	6,5 mm	TUF-S-6x10-A4
		7,5 mm	TUF-S-6x11-A4
	5,0 mm	7,0 mm	TUF-S-6x12-A4
		8,0 mm	TUF-S-6x13-A4
12.0 mm - 13.0 mm	3,0 mm	8,0 mm	TUF-S-6x11-A4
	3,5 mm	8,5 mm	TUF-S-6x12-A4
	5,0 mm	8,0 mm	TUF-S-6x13-A4


TUF-S

Intended use Installation parameters Annex B 6

#### Page 13 of European Technical Assessment ETA-15/0476 of 4 May 2021

English translation prepared by DIBt





Intended use Installation instructions



#### Characteristic value of the anchor

 Table 5: Characteristic values of the anchor with single clamp

	Single clamp										
chor	Setting depth <sup>2)</sup>			[mm]	] 5,0 5,5 6,0 6,5 7,0						8,0
e anc	Characteristic	Tension <sup>1)</sup>	NRk	[kN]	1,12	1,26	1,40	1,65	1,90	1,97	2,04
for the	resistance	Shear	V <sub>Rk</sub>	[kN]	2,78	2,89	2,99	3,28	3,57	3,79	4,00
lues	Partial safety factor		γм <sup>3)</sup>	[-]	1,8						
tic va	Edge distance		ar	[mm]	≥ 40						
.여 호 Spacing		а	[mm]	≥ 100							
Chara	Setting depth <sup>2</sup> )         Characteristic         resistance         Partial safety factor         Edge distance         Spacing         Value for tri-linear function with combined tension and shear load		x	[-]				1,0			

## Table 6: Characteristic values of the anchor with double clamp (20,0 mm $\leq a_D < 40,0$ mm)

	Double clamp with 20,0 mm $\leq a_D < 40,0$ mm											
	Setting depth <sup>2)</sup>			[mm]	5,0	5,5	6,0	6,5	7,0	7,5	8,0	
for two		Characteristic	Tension <sup>1)</sup>	NRk	[kN]	1,93	2,03	2,11	2,41	2,71	2,71	2,71
ues fo	S	resistance	Shear	VRk	[kN]	4,85	4,85	4,85	5,83	6,80	6,80	6,80
Characteristic values	Partial safety factor			γм <sup>3)</sup>	[-]	1,8						
sterist	قر <u>تم</u> Edge distance		ar	[mm]	≥ 40							
harac	Spacing		а	[mm]	≥ 100							
O Value for tri-linear function with combined tension and shear load		x	[-]				1,0					

1) Values valid for bending angle of the façade panels  $\beta \le 1,0^{\circ}$  (Definition of  $\beta$  see Annex D 1)

2) A minimum remaining panel thickness (panel thickness - setting depth) of 2,0 mm is required.

For intermediate values of the setting depth, linear interpolation is possible.

3) In absence of national regulations.

**Performances** Characteristic value of the anchor Annex C 1

# Page 15 of European Technical Assessment ETA-15/0476 of 4 May 2021

English translation prepared by DIBt



## Table 7: Characteristic values of the anchor with double clamp (40,0 mm $\leq a_D < 100,0$ mm)

	Double clamp with 40,0 mm $\leq a_D < 100,0$ mm										
	Setting depth <sup>2)</sup>			[mm]	5,0	5,5	6,0	6,5	7,0	7,5	8,0
for two	Characteristic	Tension <sup>1)</sup>	NRk	[kN]	2,07	2,26	2,44	3,17	3,89	3,89	3,89
les	resistance	Shear	VRk	[kN]	4,85	4,85	4,85	5,83	6,80	6,80	6,80
- <u>-</u>				[-]	1,8						
Characteristic anc	ق ق Edge distance		ar	[mm]	≥ 40						
harad	Spacing		а	[mm]	≥ 100						
	O Value for tri-linear function with combined tension and shear load		x	[-]	1,0						

1) Values valid for bending angle of the façade panels  $\beta \le 1,0^{\circ}$  (Definition of  $\beta$  see Annex D 1)

2) A minimum remaining panel thickness (panel thickness – setting depth) of 2,0 mm is required. For intermediate values of the setting depth, linear interpolation is possible.

3) In absence of national regulations.

#### Table 8: Characteristic resistance for steel failure

Size			TUF-S-6xL
Characteristic resistance under tension load	N <sub>Rk,s</sub>	[kN]	7,19
Partial safety factor	$\gamma Ms^{3)}$	[-]	2,5
Characteristic resistance under shear load	V <sub>Rk,s</sub>	[kN]	5,23
Partial safety factor	γмs <sup>3)</sup>	[-]	2,5

3) In absence of national regulations.

### TUF-S

Performances Characteristic resistance in steel resistance Annex C 2

English translation prepared by DIBt



## Design method

#### <u>Loads</u>

The design loads shall be calculated on basis of EN 1990:2010. The combination of loads shall be equal to EN 1990:2010. The loads shall be specified according to EN 1991-1-1:2010 to EN 1991-1-7:2010. Corresponding national regulations shall be taken into consideration. The unfavorable combination is decisive. Where necessary for the design of the anchor and the façade panel several combinations shall be analyzed separately.

The typical fundamental combination for façade panels considers loads from dead load  $F_{Ek,G}$  (permanent loads) and wind  $F_{Ek,w}$  (leading variable load)

According to EN 1990:2010 the following fundamental combination depending on the load direction results for a vertical façade panel:

Fundamental combination for loads parallel to the panel:  $F_{EdII} = F_{Ek,G} \cdot \gamma_G$ Fundamental combination for loads perpendicular to the panel:  $F_{Ed\perp} = F_{Ek,w} \cdot \gamma_{O}$ mit  $\gamma_{\rm G} = 1,35$ ;  $\gamma_{\rm Q} = 1,50$ Resistance:  $= \frac{N_{\text{Rk}}}{Y_{\text{M}}} \bullet \alpha_{\text{F0}} \bullet \alpha_{\text{bend}} \bullet \alpha_{\text{wet}} \bullet \alpha_{\text{oh}}$ N<sub>Rd</sub>  $= \frac{v_{Rk}}{v_{M}} \bullet \alpha_{F0} \bullet \alpha_{wet}$  $V_{Rd}$  $=\frac{\sigma Rk}{\gamma M}$  $\sigma_{\text{Rd}}$ with: = characteristic tension resistance according to Annex C 1. Table 5 to 7 NBk = characteristic shear resistance according to Annex C 1, Table 5 to 7 VRk = characteristing bending stress according to EN 438:2005  $\sigma_{\mathsf{Rk}}$ = If the facade panels do not meet the minimum requirements according to Annex B 1, Table 2, the  $\alpha_{F0}$ characteristic values of load bearing capacity have to be multiplied additionally by  $\alpha_{F0}$ :  $\alpha_{F0} = min \left\{ \frac{\sigma_{f,L,min}}{130 N/mm^2}; \frac{E_{L,min}}{14000 N/mm^2}; \frac{\sigma_{f,T,min}}{100 N/mm^2}; \frac{E_{T,min}}{10000 N/mm^2}; 1 \right\}$  $\alpha_{\text{bend}}$  = reduction factor of bearing of facade panel The bending angle of the façade panel  $\mathcal{B} = \arctan\left(\frac{u_{max}}{L/2}\right)$ u<sub>max</sub> L/2 ß ≤ 1.0°  $=> \alpha_{bend} = 1,0$  $1,0^{\circ} < \beta \le 1,5^{\circ} \implies \alpha_{bend} = 0,89$  $1,5^{\circ} < \beta \leq 2,0^{\circ} \Rightarrow \alpha_{bend} = 0,80$ = If the facade panels do not meet the minimum requirements regarding the maximum mass increase of  $\alpha_{wet}$  $\delta_{\rm w} = 2.0\%$  according to Table 2, the characteristic values of load bearing capacity have to be multiplied additionally by  $\alpha_{wet} = 0.78$ .

 $\alpha_{oh}$  = Overhead mounting, the characteristic tension resistance shall be reduced with 0,9

γ<sub>M</sub> = 1,8

TUF-S

Annex D 1

Informativ Design method

#### Page 17 of European Technical Assessment ETA-15/0476 of 4 May 2021

English translation prepared by DIBt



### Verification

The calculation shall be carried out in a linear elastic manner. The stiffness of the substructure shall be considered for the respective case of application.

For the determined anchor loads it shall be verified, that the following equations are met.  $N_{Ed}$ 

Equation 1:

N<sub>Rd</sub> V<sub>Ed</sub> **Equation 2:**  $\overline{V_{Rd}}$  $\frac{V_{Ed}}{V_{Rd}} + \frac{N_{Ed}}{N_{Rd}} \le X$ Equation 3:

with:

= design value of the tensile force acting on the anchor  $N_{Ed}$ 

 $\leq 1$ 

 $\leq 1$ 

 $V_{Ed}$ = design value of the shear force acting on the anchor

 $N_{Rd}$ = design value of the tensile load bearing capacity of the anchor

= design value of the shear load bearing capacity of the anchor  $V_{\mathsf{Rd}}$ 

= see Annex C 1 Х

For the determined panel loads it shall be verified, that the following equation according is met:

 $\sigma_{\rm Ed}$ **Equation 4**:  $\sigma_{Rd}$ 

with:

= design value of the bending stress of the façade panel  $\sigma_{\mathsf{Ed}}$ 

 $\leq 1$ 

= design value of the bending stress resistance of the façade panel  $\sigma_{\mathsf{Rd}}$ 

Verification to steel failure

$$\begin{split} \frac{N_{Ed}}{N_{Rd,s}} &\leq 1,0 \\ \frac{V_{Ed}}{V_{Rd,s}} &\leq 1,0 \\ \left(\frac{N_{Ed}}{N_{Rd,s}}\right)^2 + \left(\frac{V_{Ed}}{V_{Rd,s}}\right)^2 &\leq 1,0 \\ N_{Ed}: & Design value of the tensile force \\ N_{Rd,s}: & design value of steel failure under tension load \\ N_{Rd,s} &= N_{Rk,s} / \gamma_{Ms} \\ N_{Rk,s} &: Characteristic resistance to steel failure under tension \\ V_{Ed}: & design value of the shear force \\ V_{Rd,s}: & design value of steel failure under shear load \\ V_{Rd,s} &= V_{Rk,s} / \gamma_{Ms} \\ & V_{Rk,s} &: Characteristic resistance to steel failure shear load \\ \end{split}$$

Annex D 2

Informativ Design method

Z41748.21

TUF-S